## NSN 5905-01-333-0031

Film Fixed Resistor Network - Page 1 of 2



| view Online at https://aerobasegroup.com/nsn/5905-01-333-0031   |
|---|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:   |
| -100.0/+100.0   |
| Electrical Resistance:  |
| 3.010 kilohms   |
| Resistance Tolerance In Percent:                                |
| -1.000/+1.000   |
| Ambient Tempurature In Deg Celsius At Full Rated Power:         |
| 25.0  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 125.0   |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:    |
| -55.0/+125.0  |
| Inclosure Method:   |
| Encapsulated  |
| Terminal Quantity:  |
| 16  |
| Terminal Type:  |
| Tab, solder lug   |
| Reliability Indicator:  |
| Not established   |
| Terminal Length:  |
| 0.040 inches  |
| Body Length:  |
| Between 0.432 inches and 0.448 inches                           |
| Body Width:   |
| Between 0.212 inches and 0.228 inches                           |
| Body Height:  |
| Between 0.072 inches and 0.088 inches                           |
| Schematic Diagram Designator:                                   |
| Isolated array  |
| Power Dissipation Rating In Watts:                              |
| 0.750 total network   |
| Terminal Width:   |
| Between 0.016 inches and 0.026 inches                           |
| End Application:  |
| Intercom set  |
| Identical Value Resistor Quantity:                              |
| 8 each resistor   |
| Style Designator:   |
| Dual inline   |
| Shelf Life:   |

N/a

## NSN 5905-01-333-0031

Film Fixed Resistor Network - Page 2 of 2



|  |  |  | ure: |  |
|--|--|--|------|--|
|  |  |  |      |  |
|  |  |  |      |  |

--

Demilitarization:

No

Fiig:

A001a0