NSN 5905-01-337-5934

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-337-5934

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-100.0/+100.0
Electrical Resistance:
10.000 kilohms1.000 megohms68.000 kilohms91.000 kilohms100.000 kilohms130.000 kilohms160.000 kilohms
Resistance Tolerance In Percent:
-1.000/+1.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
125.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+125.0
Inclosure Method:
Encapsulated
Terminal Quantity:
8
Terminal Type:
Pin
Reliability Indicator:
Not established
Terminal Length:
Between 0.125 inches and 0.140 inches
Body Length:
Between 0.770 inches and 0.800 inches
Body Width:
Between 0.075 inches and 0.103 inches
Body Height:
0.265 inches
Schematic Diagram Designator:
Ladder network
Power Dissipation Rating In Watts:
0.125 total network
End Application:
Rec-trans car
Identical Value Resistor Quantity:
1 lowest resistance value1 highest resistance value1 1st intermediate resistance value1 2nd intermediate resistance value2 3rd intermediate
resistance value1 4th intermediate resistance value1 5th intermediate resistance value
Style Designator:
Single inline
Shelf Life:
N/-

--

Unit Of Measure:

NSN 5905-01-337-5934

Film Fixed Resistor Network - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0