Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-337-5935

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-100.0/+100.0

Electrical Resistance:

10.000 kilohms160.000 kilohms30.000 kilohms68.000 kilohms100.000 kilohms150.000 kilohms

Resistance Tolerance In Percent:

-1.000/+1.000

Ambient Tempurature In Deg Celsius At Full Rated Power:

70.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+125.0

Inclosure Method:

Encapsulated

Terminal Quantity:

8

Terminal Type:

Pin

Reliability Indicator:

Not established

Terminal Length:

Between 0.125 inches and 0.140 inches

Body Length:

Between 0.770 inches and 0.800 inches

Body Width:

Between 0.075 inches and 0.103 inches

Body Height:

0.265 inches

Schematic Diagram Designator:

Ladder network

Power Dissipation Rating In Watts:

0.125 total network

End Application:

Rec-trans car

Identical Value Resistor Quantity:

1 lowest resistance value1 highest resistance value1 1st intermediate resistance value1 2nd intermediate resistance value1 3rd intermediate resistance value1 4th intermediate resistance value

Style Designator:

Single inline

Shelf Life:

N/a

Unit Of Measure:

NSN 5905-01-337-5935

Film Fixed Resistor Network - Page 2 of 2

Demilitarization:

No

Fiig:

A001a0

