NSN 5905-01-337-6950

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-337-6950
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-25.0/+25.0
Electrical Resistance:
15.200 kilohms84.500 kilohms
Resistance Tolerance In Percent:
-0.100/+0.100
Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
150.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+150.0
Inclosure Method:
Encapsulated
Terminal Quantity:
20
Terminal Type:
Terminal type per body style
Reliability Indicator:
Not established
Body Length:
Between 0.342 inches and 0.358 inches
Body Width:
Between 0.342 inches and 0.358 inches
Body Height:
Between 0.023 inches and 0.085 inches
Power Dissipation Rating In Watts:
1.000 total network
End Application:
Def specification prog
Identical Value Resistor Quantity:
6 lowest resistance value6 highest resistance value
Maximum Tempurature Coefficient Deviation In Ppm Per Deg Celsius:
5.0
Criticality Code Justification:
Feat
Special Features:
Nuclear hardness critical item

Precious Material And Location:

Terminal surfaces gold

Style Designator:

Termination pad each end

NSN 5905-01-337-6950

Film Fixed Resistor Network - Page 2 of 2



Suppl	ementary	Features:
-------	----------	-----------

	Caution:	electro-static dis	scharge sensi	tive; special ha	ndling is required	I in order to prever	nt damage by	electro-static forces
--	----------	--------------------	---------------	------------------	--------------------	----------------------	--------------	-----------------------

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0