

View Online at https://aerobasegroup.com/nsn/5905-01-338-5488

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-100.0/+500.0

#### **Electrical Resistance:**

0.510 ohms

**Resistance Tolerance In Percent:** 

-10.000/+10.000

### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 25.0

# Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

350.0

# Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+350.0

**Inclosure Method:** 

Encapsulated

Terminal Type:

# Tab, solder lug

**Reliability Indicator:** 

Not established

#### **Terminal Length:**

0.563 inches

# **Body Diameter:**

1.312 inches

**Body Length:** 

Between 10.438 inches and 10.562 inches

# **Power Dissipation Rating In Watts:**

210.000 free air

**Terminal Width:** 

Between 0.172 inches and 0.328 inches

# **End Application:**

Minuteman Is

# Style Designator:

Radial terminal each end

# Test Data Document:

81349-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Specification Data:**

81349-mil-r-26/3 government specification

Shelf Life:

N/a

- Unit Of Measure:
- ---
- Demilitarization:

No

# NSN 5905-01-338-5488

Noninductive Wire Wound Fixed Resistor - Page 2 of 2

Fiig: A001a0

