NSN 5905-01-346-2315

Inductive Wire Wound Fixed Resistor - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5905-01-346-2315 |
|--|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
| -50.0/+50.0 |
| Electrical Resistance: |
| 5.100 ohms |
| Resistance Tolerance In Percent: |
| -1.000/+1.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 25.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 275.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0/+275.0 |
| Inclosure Method: |
| Encased |
| Terminal Type: |
| Tab, solder lug |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| Between 0.204 inches and 0.328 inches |
| Body Length: |
| Between 0.538 inches and 0.662 inches |
| Body Width: |
| Between 0.272 inches and 0.396 inches |
| Body Height: |
| Between 0.289 inches and 0.351 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| Between 0.434 inches and 0.454 inches |
| Power Dissipation Rating In Watts: |
| 3.000 free air |
| End Application: |
| C-9724/br gsm |
| Mounting Hole Size: |
| Between 0.088 inches and 0.098 inches |
| Cubic Measure (non-core): |
| 0.092 cubic inches |
| Unpackaged Unit Weight: |
| 3.0 grams |
| Style Designator: |
| Axial terminal (s) |
| Shelf Life: |

N/a

NSN 5905-01-346-2315

Inductive Wire Wound Fixed Resistor - Page 2 of 2



| | | • • | | | |
|---|----|-----|-------------|----------|--|
| ш | ın | 10 | <i>(</i>)+ | Measure: | |
| | | | | | |

--

Demilitarization:

No

Fiig:

A001a0