## NSN 5905-01-347-8226

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-347-8226

### **Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:**

-300.0/+300.0 first temp coefficient

**Electrical Resistance:** 

680.000 ohms each resistor

**Resistance Tolerance In Percent:** 

-5.000/+5.000 each resistor

Ambient Tempurature In Deg Celsius At Full Rated Power:

70.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

**Tempurature Range Of Tempurature Coefficient In Deg Celsius:** 

-55.0/+125.0 temp range of first temp coefficient

**Inclosure Method:** 

Encapsulated

**Terminal Quantity:** 

16

**Terminal Type:** 

Tab, solder lug

**Reliability Indicator:** 

Not established

**Terminal Length:** 

Between 0.105 inches and 0.215 inches

**Body Length:** 

Between 0.784 inches and 0.876 inches

**Body Width:** 

Between 0.240 inches and 0.305 inches

**Body Height:** 

0.180 inches

**Schematic Diagram Designator:** 

Isolated array

**Power Dissipation Rating In Watts:** 

1.600 total network

**Terminal Width:** 

Between 0.015 inches and 0.022 inches

**Identical Value Resistor Quantity:** 

8 each resistor

**Style Designator:** 

Dual inline

#### **Test Data Document:**

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Specification Data:**

81349-mil-r-83401/2 government specification

# NSN 5905-01-347-8226

Film Fixed Resistor Network - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A001a0