## NSN 5905-01-355-0330

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-355-0330
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-100.0/+100.0 first temp coefficient
Electrical Resistance:
5.110 kilohms10.000 kilohms681.000 kilohms
Resistance Tolerance In Percent:
-2.000/+2.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
125.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+125.0 temp range of first temp coefficient
Inclosure Method:
Encapsulated
Terminal Quantity:
8
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Body Length:
0.783 inches
Body Width:
0.104 inches
Body Height:
0.187 inches
Schematic Diagram Designator:
Series network
Power Dissipation Rating In Watts:
0.600 total network
Identical Value Resistor Quantity:
2 lowest resistance value2 intermediate resistance value2 highest resistance value
Style Designator:
Single inline
Test Data Document:
81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:** 

81349-mil-r-83401/19 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

## NSN 5905-01-355-0330

Film Fixed Resistor Network - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0