

View Online at https://aerobasegroup.com/nsn/5905-01-356-4097

#### Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-20.0/+20.0

#### **Electrical Resistance:**

96.500 ohms

#### **Resistance Tolerance In Percent:**

-0.100/+0.100

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 25.0

#### Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

275.0

#### Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+275.0

#### **Inclosure Method:**

Encapsulated

#### **Terminal Type:**

Wire lead

### Reliability Indicator:

Established

## Reliability Failure Rate Level In Percent:

0.001

#### Terminal Length:

1.500 inches

#### Body Diameter:

Between 0.281 inches and 0.343 inches

#### **Body Length:**

Between 0.813 inches and 0.937 inches

#### **Power Dissipation Rating In Watts:**

7.000 free air

#### Unpackaged Unit Weight:

6.0 grams

#### Style Designator:

Axial terminal each end

#### Test Data Document:

81349-mil-r-39007 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-r-39007/10 government specification

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

# NSN 5905-01-356-4097

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



Fiig: A001a0