Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-371-8719

### Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-300.0/+300.0

#### **Electrical Resistance:**

2.000 kilohms

**Resistance Tolerance In Percent:** 

-5.000/+5.000

### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 70.0

### Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

### Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+125.0

### **Inclosure Method:**

Encapsulated

#### **Terminal Quantity:**

10

### **Terminal Type:**

Pin

### **Reliability Indicator:**

Not established

# Body Length:

Between 0.968 inches and 0.998 inches

### **Body Width:**

Between 0.050 inches and 0.103 inches

### **Body Height:**

Between 0.332 inches and 0.352 inches

### Schematic Diagram Designator:

Ladder network

**Power Dissipation Rating In Watts:** 

1.800 total network

**Identical Value Resistor Quantity:** 

9 each resistor

#### Style Designator:

Single inline

### Test Data Document:

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Specification Data:**

81349-mil-r-83401/6 government specification

# Shelf Life:

N/a

# Unit Of Measure:

Film Fixed Resistor Network - Page 2 of 2

Demilitarization:

No

Fiig:

A001a0

