# NSN 5905-01-389-7049

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-389-7049

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-25.0 to 25.0

## **Electrical Resistance:**

715.000 kilohms

# **Resistance Tolerance In Percent:**

-0.100 to 0.100

# Ambient Tempurature In Deg Celsius At Full Rated Power:

## 125.0

# Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

175.0

## Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0 to 175.0

## **Inclosure Method:**

Encapsulated

## **Terminal Type:**

Wire lead

Mil-std-1276 Wire Lead Type Designator:

```
С
```

## **Reliability Indicator:**

Established

## Reliability Failure Rate Level In Percent:

0.001

### **Terminal Length:**

Between 1.000 inches and 1.625 inches

### **Body Diameter:**

Between 0.085 inches and 0.165 inches

## **Body Length:**

Between 0.260 inches and 0.437 inches

## **Power Dissipation Rating In Watts:**

0.125 free air

### Style Designator:

Axial terminal each end

### Test Data Document:

81349-mil-r-55182 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Specification Data:**

81349-mil-r-55182/1 government specification

### Shelf Life:

N/a

- Unit Of Measure:
- ---
- Demilitarization:
- No

# NSN 5905-01-389-7049

Film Fixed Resistor - Page 2 of 2

**Fiig:** A001a0

