## NSN 5905-01-391-0917

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/5905-01-591-0917
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-50.0/+50.0
Electrical Resistance:
1.100 ohms
Resistance Tolerance In Percent:
-1.000/+1.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
275.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+255.0
Inclosure Method:
Encased
Terminal Type:
Wire lead
Reliability Indicator:
Established
Reliability Failure Rate Level In Percent:
1.000
Terminal Length:
Between 1.188 inches and 1.312 inches
Body Length:
4.5000 inches
Body Width:
2.125 inches
Body Height:
2.188 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
Between 2.990 inches and 3.010 inches
Power Dissipation Rating In Watts:
75.000 free air
Mounting Hole Size:
0.188 inches
Style Designator:
Axial terminal (s)
Test Data Document:
81349-mil-r-18546 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-r-18546/2 government specification

N/a

Shelf Life:

## NSN 5905-01-391-0917

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A001a0