Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-393-3316

# **Electrical Resistance:**

13.000 ohms

**Resistance Tolerance In Percent:** 

-1.000/+1.000

Ambient Tempurature In Deg Celsius At Full Rated Power:

25.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

#### 275.0

**Inclosure Method:** 

Encapsulated

#### **Terminal Type:**

Tab, solder lug

**Reliability Indicator:** 

Established

Reliability Failure Rate Level In Percent:

# 1.000

Terminal Length:

0.438 inches

# Body Length:

1.938 inches

#### **Body Width:**

0.594 inches

# Body Height:

0.625 inches

# Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.562 inches

# **Power Dissipation Rating In Watts:**

30.000 free air

#### Mounting Hole Size:

0.125 inches

#### Style Designator:

Axial terminal (s)

#### Test Data Document:

81349-mil-r-39009 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Specification Data:**

81349-mil-r-39009/1 government specification

Shelf Life:

N/a

# Unit Of Measure:

---

Demilitarization:

No

# NSN 5905-01-393-3316

Inductive Wire Wound Fixed Resistor - Page 2 of 2

Fiig: A001a0

