NSN 5905-01-416-5167

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-416-5167 **Section Quantity:** 1 **Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** 1.3120 inches Pilot Length: 0.0730 inches **Undercut Diameter:** 1.438 inches **Undercut Width:** 0.0620 inches **Body Diameter:** 1.625 inches **Body Length:** 2.000 inches **Mounting Lip Diameter:** 1.6250 inches **Mounting Lip Depth:** 0.0930 inches **Actuator Type:** Single shaft Terminal Location: се

Terminal Location.
Radially positioned over less than half the circumference
Mounting Method:
Clamp ring
Electrical Resistance Per Section:
5.0 kilohms single section
Power Dissipation Rating Per Section In Watts:
2.5 free air single section
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 single section
Terminal Type And Quantity:
3 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

NSN 5905-01-416-5167

Precision Wire Wound Variable Resistor - Page 2 of 2



Fiig:

A002a0