Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-426-1601

## Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-300.0/+300.0

#### **Electrical Resistance:**

1.500 kilohms

**Resistance Tolerance In Percent:** 

-1.000/+1.000

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 70.0

#### Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

## Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+125.0

#### **Inclosure Method:**

Encapsulated

#### **Terminal Quantity:**

14

#### **Terminal Type:**

Tab, solder lug

# Reliability Indicator:

Not established

#### Terminal Length:

Between 0.125 inches and 0.150 inches

#### **Body Length:**

Between 0.695 inches and 0.785 inches

#### **Body Width:**

Between 0.240 inches and 0.305 inches

#### **Body Height:**

0.135 inches

Schematic Diagram Designator:

Isolated array

#### **Power Dissipation Rating In Watts:**

1.400 total network

#### Terminal Width:

Between 0.015 inches and 0.022 inches

### Identical Value Resistor Quantity:

7 each resistor

### Style Designator:

Dual inline

#### **Test Data Document:**

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-r-83401/1 government specification

# NSN 5905-01-426-1601

Film Fixed Resistor Network - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0

