## NSN 5905-01-429-4925

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-429-4925

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-25.0/+25.0
Electrical Resistance:
50.000 kilohms
Resistance Tolerance In Percent:
-0.100/+0.100
Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
125.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+125.0
Inclosure Method:
Encapsulated
Terminal Quantity:
6
Terminal Type:
Pin
Reliability Indicator:
Not established
Terminal Length:
0.500 inches
Body Length:
0.790 inches
Body Width:
0.110 inches
Body Height:
0.300 inches
Schematic Diagram Designator:
Balanced ladder network
Power Dissipation Rating In Watts:
0.160 total network
End Application:
Pacer dawn
Identical Value Resistor Quantity:
2 lowest resistance value
Maximum Tempurature Coefficient Deviation In Ppm Per Deg Celsius:
1.0
Style Designator:
Single inline
Test Data Document:

99971-7555985 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## NSN 5905-01-429-4925

Film Fixed Resistor Network - Page 2 of 2



_				
c	hο	.1+		ife:
J	116		_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A001a0