Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-01-445-4523

### **Electrical Resistance:**

1.000 ohms

**Resistance Tolerance In Percent:** 

-1.000/+1.000

Ambient Tempurature In Deg Celsius At Full Rated Power:

25.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

### 275.0

**Inclosure Method:** 

Encapsulated

Terminal Type:

Wire lead

**Reliability Indicator:** 

Established

Reliability Failure Rate Level In Percent:

0.010

Body Diameter:

Between 0.281 inches and 0.343 inches

### **Body Length:**

Between 0.813 inches and 0.937 inches

# **Power Dissipation Rating In Watts:**

5.000 free air

Style Designator:

Axial terminal each end

# **Test Data Document:**

81349-mil-r-39007 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Specification Data:**

81349-mil-r-39007/6 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0