NSN 5905-01-445-4734

Section Quantity:

125.0 single section

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-445-4734

1
Body Style:
Rectangular
Reliability Indicator:
Not established
Shaft Diameter:
0.190 inches
Shaft Length:
0.250 inches
Mounting Stud Length:
6.35 millimeters
Body Length:
0.750 inches
Body Width:
0.190 inches
Body Height:
0.250 inches
Shaft Style:
Round, threaded
Actuator Type:
Single shaft
Screw Thread Diameter:
0.190 inches
Screw Thread Series Designator:
Unf
Screw Thready Qty Per Inch (tpi):
32.0
Mounting Facility Quantity:
1
Terminal Location:
Lower adjacent side two rows
Mounting Method:
Threaded stud
Center To Center Distance Between Terminal Rows:
2.54 millimeters
Features Provided:
Panel seal
Electrical Resistance Per Section:
100.0 ohms single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

NSN 5905-01-445-4734

No Fiig: A002a0

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Power Dissipation Rating Per Section in Watts:
0.75 free air single section
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
70.0 single section
Terminal Type And Quantity:
3 solder stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: