NSN 5905-01-456-1249

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-456-1249

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:			
-100.0/+100.0			
Electrical Resistance:			
14.500 kilohms			
Resistance Tolerance In Percent:			
-0.100/+0.100			
Ambient Tempurature In Deg Celsius At Full Rated Power:			
70.0			
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:			
125.0			
Tempurature Range Of Tempurature Coefficient In Deg Celsius:			
-55.0/+125.0			
Inclosure Method:			
Encapsulated			
Terminal Quantity:			
6			
Terminal Type:			
Pin			
Reliability Indicator:			
Not established			
Terminal Length:			
Between 0.125 inches and 0.150 inches			
Body Length:			
Between 0.560 inches and 0.598 inches			
Body Width:			
0.098 inches			
Body Height:			
Between 0.177 inches and 0.197 inches			
Schematic Diagram Designator:			
Ladder network			
Power Dissipation Rating In Watts:			
0.120 each resistor			
Identical Value Resistor Quantity:			
5 each resistor			
Style Designator:			
Single inline			
Test Data Document:			
81349-mil-prf-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification			
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain			
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).			
Specification Data:			

N/a

Shelf Life:

81349-mil-prf-83401/7 government specification

NSN 5905-01-456-1249

Film Fixed Resistor Network - Page 2 of 2



U	nit	Of	Measure:

--

Demilitarization:

No

Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-83401 spec.