

View Online at <https://aerobasegroup.com/nsn/5905-01-463-1754>

Section Quantity:

2

Body Style:

Cylindrical servo mounted

Pilot Diameter:

Between 15.850 millimeters and 15.875 millimeters

Pilot Length:

Between 1.5 millimeters and 1.7 millimeters

Undercut Diameter:

Between 21.8 millimeters and 22.6 millimeters

Undercut Width:

1.6 millimeters

Angle Of Mounting Hole In Deg:

15.9

Angle Between Centerlines Of Mounting Holes In Deg:

15.9

Shaft Length:

Between 8.7 millimeters and 10.3 millimeters

Body Length:

Between 39.6 millimeters and 40.1 millimeters

Mounting Lip Diameter:

Between 22.1 millimeters and 22.3 millimeters

Mounting Lip Depth:

Between 1.5 millimeters and 1.7 millimeters

Mounting Hole/stud Circle Diameter:

Between 15.850 millimeters and 15.875 millimeters

Shaft Style:

Round

Actuator Type:

Single shaft

Mounting Facility Quantity:

3

Mounting Method:

Unthreaded hole

Electrical Resistance Per Section:

10.0 kilohms all sections

Power Dissipation Rating Per Section In Watts:

2.0 free air all sections

Resistance Tolerance Per Section In Percent:

-3.0/+3.0 all sections

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0