

View Online at <https://aerobasegroup.com/nsn/5905-01-463-5675>

**Section Quantity:**

1

**Body Style:**

Rectangular

**Actuator Type:**

Flush drive with slot-hole

**Effective Electrical Rotation In Deg Angular Rotation:**

210.0

**Maximum Starting Torque:**

1.39 inch-ounces

**Maximum Running Torque:**

1.39 inch-ounces

**Maximum Stop Torque:**

4.17 inch-ounces

**Fragility Factor:**

Moderately delicate

**End Application:**

6030-01-414-8582

**Mounting Method:**

Terminal

**Electrical Resistance Per Section:**

10.0 kilohms single section

**Rotary Actuator Travel In Angular Deg:**

240.0

**Resistance Temperature Characteristic Range Per Section In Percent:**

-55.0/+125.0 -55 degrees celsius single section

**Ambient Temperature In Deg Celsius Per Section At Zero Percent Rated Power:**

125.0 single section

**Temperature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:**

-100.0/+100.0 single section

**Power Dissipation Rating Per Section In Watts:**

0.25 free air single section

**Resistance Tolerance Per Section In Percent:**

-20.0/+20.0 single section

**Ambient Temperature In Deg Celsius Per Section At Full Rated Power:**

70.0 single section

**Terminal Type And Quantity:**

3 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A002a0