## NSN 5905-01-463-6532

Film Fixed Resistor - Page 1 of 2

-25.0/+25.0

12.000 kilohms

**Electrical Resistance:** 

**Resistance Tolerance In Percent:** 



View Online at https://aerobasegroup.com/nsn/5905-01-463-6532

**Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:** 

-0.500/+0.500
Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
125.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+125.0
Inclosure Method:
Uninclosed
Terminal Type:
Terminal type per body style
Reliability Indicator:
Not established
Terminal Length:
0.40 millimeters
Body Length:
2.0 millimeters
Body Width:
0.4 millimeters
Body Height:
1.25 millimeters
Power Dissipation Rating In Watts:
0.100 free air
End Application:
Nsn6625-01-425-2551 e/i cage 0t1f7
Style Designator:
Termination pad each end
Test Data Document:
81349-mil-prf-55342 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-prf-55342 government specification
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No

## NSN 5905-01-463-6532

Film Fixed Resistor - Page 2 of 2



Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-55342 spec.