NSN 5905-01-464-1380

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-464-1380
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-300.0/+300.0
Electrical Resistance:
200.000 ohms
Resistance Tolerance In Percent:
-5.000/+5.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
125.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+125.0
Inclosure Method:
Uninclosed
Terminal Quantity:
20
Terminal Type:
Pin
Reliability Indicator:
Established
Reliability Failure Rate Level In Percent:
1.000
Terminal Length:
Between 0.045 inches and 0.055 inches
Body Length:
Between 0.342 inches and 0.358 inches
Body Width:
0.085 inches
Body Height:
Between 0.342 inches and 0.358 inches
Schematic Diagram Designator:
Isolated array
Power Dissipation Rating In Watts:
0.100 each resistor
Identical Value Resistor Quantity:
19 each resistor
Style Designator:
Flat pack
Test Data Document:
16236-87017 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;

excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental

and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

16236-87017-b2000jm government specification

NSN 5905-01-464-1380

Film Fixed Resistor Network - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0