NSN 5905-01-464-1874

Film Fixed Resistor - Page 1 of 1

Mil-std (military Standard):

Mil-prf-55182 spec.



View Online at https://aerobasegroup.com/nsn/5905-01-464-1874

riew Online at https://aerobasegroup.com/nsn/5905-01-464-1674
Electrical Resistance:
75.900 ohms
Resistance Tolerance In Percent:
1.000/+1.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
125.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
75.0
nclosure Method:
Encapsulated
Ferminal Type:
Vire lead
Mil-std-1276 Wire Lead Type Designator:
Reliability Indicator:
Established
Reliability Failure Rate Level In Percent:
0.001
Body Diameter:
Between 0.078 inches and 0.140 inches
Body Length:
Between 0.204 inches and 0.281 inches
Power Dissipation Rating In Watts:
0.100 free air
End Application:
430-01-184-6768
Style Designator:
Axial terminal each end
Test Data Document:
31349 mil-prf-55182 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
31349 mil-prf-55182/1 government specification
Shelf Life:
N/a
Jnit Of Measure:
Demilitarization:
No
Filig:
\001a0