## NSN 5905-01-466-9184



Film Fixed Resistor Network - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5905-01-466-9184 **Electrical Resistance:** 11.500 kilohms **Resistance Tolerance In Percent:** -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 **Inclosure Method:** Encapsulated **Terminal Quantity:** 10 **Terminal Type:** Pin **Reliability Indicator:** Not established **Terminal Length:** Between 0.125 inches and 0.150 inches **Body Length:** Between 0.968 inches and 0.998 inches **Body Width:** Between 0.050 inches and 0.103 inches **Body Height:** Between 0.177 inches and 0.197 inches **Power Dissipation Rating In Watts:** 0.600 total network **End Application:** Multi mode ra **Identical Value Resistor Quantity:** 5 lowest resistance value **Style Designator:** Single inline **Test Data Document:** 81349-mil-prf-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Specification Data:** 81349-mil-prf-83401/9 government specification Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5905-01-466-9184

Film Fixed Resistor Network - Page 2 of 2



Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-83401 spec.