# NSN 5905-01-467-6887

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-467-6887

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-100.0/+100.0

#### **Electrical Resistance:**

1.400 kilohms

#### **Resistance Tolerance In Percent:**

-1.000/+1.000

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 70.0

# Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

155.0

# Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+155.0

#### **Inclosure Method:**

Uninclosed

#### **Terminal Type:**

Terminal type per body style

# **Reliability Indicator:**

Not established

#### **Terminal Length:**

Between 0.2 millimeters and 0.6 millimeters

#### **Body Length:**

Between 1.9 millimeters and 2.1 millimeters

#### **Body Width:**

Between 1.15 millimeters and 1.35 millimeters

#### **Body Height:**

Between 0.45 millimeters and 0.65 millimeters

# **Power Dissipation Rating In Watts:**

0.125 free air

#### **End Application:**

Arc-164 apach

#### **Special Features:**

Tech data not authorized to be released outside of the us

# **Precious Material And Location:**

Terminals palladium and terminals silver

# Style Designator:

Termination pad each end

# **Test Data Document:**

36795-mil-prf-55342 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Shelf Life:

N/a

# NSN 5905-01-467-6887

Film Fixed Resistor - Page 2 of 2

Demilitarization:

No

Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-55342 spec.

