NSN 5905-01-468-7753

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-468-7753 **Electrical Resistance:** 4.020 ohms **Resistance Tolerance In Percent:** -5.000/+5.000 Ambient Tempurature In Deg Celsius At Full Rated Power: Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 350.0 **Tempurature Range Of Tempurature Coefficient In Deg Celsius:** -55.0/+350.0 **Inclosure Method:** Encapsulated **Terminal Type:** Tab, solder lug **Reliability Indicator:** Not established **Terminal Length:** 0.407 inches **Body Length:** 3.500 inches **Body Width:** 1.187 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 4.250 inches **Power Dissipation Rating In Watts:** 53.000 free air **Terminal Width:** 0.265 inches **Mounting Hole Size:** 0.196 inches **Style Designator:** Terminals one edge **Test Data Document:** 81349-mil-prf-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a **Unit Of Measure:**

A001a0

No Fiig:

Demilitarization:

NSN 5905-01-468-7753

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Mil-std (military Standard):

Mil-prf-26 spec.