## NSN 5905-01-472-3430

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-472-3430
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-25.0/+25.0
Electrical Resistance:
4.700 kilohms
Resistance Tolerance In Percent:
-1.000/+1.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
275.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+200.0
Inclosure Method:
Encased
Terminal Type:
Solder stud
Reliability Indicator:
Not established
Terminal Length:
Between 0.376 inches and 0.500 inches
Body Length:
Between 1.876 inches and 2.000 inches
Body Width:
Between 0.532 inches and 0.656 inches
Body Height:
Between 0.594 inches and 0.656 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
Between 1.552 inches and 1.572 inches
Power Dissipation Rating In Watts:
50.000 free air
Terminal Width:
0.140 inches
End Application:
Siu unit 4010
Mounting Hole Size:
Between 0.120 inches and 0.130 inches
Cubic Measure (non-core):
1.032 cubic inches
Unpackaged Unit Weight:
30.8 grams
Style Designator:

Axial terminal (s)

## NSN 5905-01-472-3430

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A001a0