Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-478-1741

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-100.0/+100.0

Electrical Resistance:

475.000 kilohms

Resistance Tolerance In Percent:

-1.000/+1.000

Ambient Tempurature In Deg Celsius At Full Rated Power:

70.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+125.0

Inclosure Method:

Encapsulated

Terminal Quantity:

10

Terminal Type:

Pin

Reliability Indicator:

Not established

Terminal Length:

Between 0.125 inches and 0.150 inches

Body Length:

Between 0.968 inches and 0.998 inches

Body Width:

0.098 inches

Body Height:

Between 0.332 inches and 0.352 inches

Schematic Diagram Designator:

Isolated array

Power Dissipation Rating In Watts:

1.000 total network

End Application:

Circuit card assembly, 599801436889

Identical Value Resistor Quantity:

5 each resistor

Criticality Code Justification:

Agav

Product Name:

Inavy)resistor networks, fixed, film, and capacitor-resistor networks, ceramic capacitor and fixed film resistors

Style Designator:

Single inline

NSN 5905-01-478-1741

Film Fixed Resistor Network - Page 2 of 2



Test Data Document:

81349-mil-prf-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-prf-83401/6 government specification
Shelf Life:
N/a
Unit Of Measure:
-Demilitarization:
No
Fiig:
A001a0
Mil-std (military Standard):
Mil-grf-83401 spec.