## NSN 5905-01-479-3556

Film Fixed Resistor - Page 1 of 2

-100.0/+100.0

**Unit Of Measure:** 



View Online at https://aerobasegroup.com/nsn/5905-01-479-3556

**Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:** 

Electrical Resistance:
7.500 kilohms
Resistance Tolerance In Percent:
-1.000/+1.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
150.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+125.0
Inclosure Method:
Uninclosed
Terminal Type:
Terminal type per body style
Reliability Indicator:
Established
Reliability Failure Rate Level In Percent:
0.010
Body Length:
Between 0.098 inches and 0.112 inches
Body Width:
Between 0.015 inches and 0.033 inches
Body Height:
Between 0.095 inches and 0.105 inches
Power Dissipation Rating In Watts:
0.500 free air
End Application:
First pbl; electronic componen
Criticality Code Justification:
Agav
Style Designator:
Termination pad each end
Test Data Document:
Mil-prf-55342 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349 - mil-prf-55342/10 government specification
Shelf Life:
N/a

## NSN 5905-01-479-3556

Film Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-55342 spec.