## NSN 5905-01-481-6431

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-01-481-6431

| Electrical Resistance:  383.000 kilohms  Resistance Tolerance In Percent: -1.000/+1.000  Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0  Inclosure Method: Uninclosed  Terminal Type: Terminal Type per body style Reliability Indicator: Not established Body Length: Between 0.045 inches and 0.060 inches Body Width: Between 0.145 inches and 0.175 inches Body Height: Between 0.010 inches and 0.040 inches Power Dissipation Rating In Watts: 0.150 free air End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a Unit Of Measure: |
|--|
| Resistance Tolerance In Percent: -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Inclosure Method: Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: Between 0.045 inches and 0.060 inches Body Width: Between 0.145 inches and 0.175 inches Body Height: Between 0.010 inches and 0.040 inches Power Dissipation Rating In Watts: 0.150 free air End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a   |
| Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Inclosure Method: Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: Between 0.045 inches and 0.060 inches Body Width: Between 0.145 inches and 0.175 inches Body Height: Between 0.010 inches and 0.040 inches Power Dissipation Rating In Watts: 0.150 free air End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a  |
| Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Inclosure Method: Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: Between 0.045 inches and 0.060 inches Body Width: Between 0.145 inches and 0.175 inches Body Height: Between 0.010 inches and 0.040 inches Power Dissipation Rating In Watts: 0.150 free air End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  125.0 Inclosure Method: Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: Between 0.045 inches and 0.060 inches Body Width: Between 0.145 inches and 0.175 inches Body Height: Between 0.010 inches and 0.040 inches Power Dissipation Rating In Watts: 0.150 free air End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  125.0 Inclosure Method: Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: Between 0.045 inches and 0.060 inches Body Width: Between 0.145 inches and 0.175 inches Body Height: Between 0.010 inches and 0.040 inches Power Dissipation Rating In Watts: 0.150 free air End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a  |
| Inclosure Method: Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: Between 0.045 inches and 0.060 inches Body Width: Between 0.145 inches and 0.175 inches Body Height: Between 0.010 inches and 0.040 inches Power Dissipation Rating In Watts: 0.150 free air End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a   |
| Inclosure Method: Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: Between 0.045 inches and 0.060 inches Body Width: Between 0.145 inches and 0.175 inches Body Height: Between 0.010 inches and 0.040 inches Power Dissipation Rating In Watts: 0.150 free air End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a   |
| Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: Between 0.045 inches and 0.060 inches Body Width: Between 0.145 inches and 0.175 inches Body Height: Between 0.010 inches and 0.040 inches Power Dissipation Rating In Watts: 0.150 free air End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a   |
| Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: Between 0.045 inches and 0.060 inches Body Width: Between 0.145 inches and 0.175 inches Body Height: Between 0.010 inches and 0.040 inches Power Dissipation Rating In Watts: 0.150 free air End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a  |
| Terminal type per body style  Reliability Indicator:  Not established  Body Length:  Between 0.045 inches and 0.060 inches  Body Width:  Between 0.145 inches and 0.175 inches  Body Height:  Between 0.010 inches and 0.040 inches  Power Dissipation Rating In Watts:  0.150 free air  End Application:  First pbl; aircraft fighter-first (f18 e/f)  Criticality Code Justification:  Agav  Product Name:  Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life:  N/a   |
| Reliability Indicator: Not established Body Length: Between 0.045 inches and 0.060 inches Body Width: Between 0.145 inches and 0.175 inches Body Height: Between 0.010 inches and 0.040 inches Power Dissipation Rating In Watts: 0.150 free air End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a  |
| Not established  Body Length:  Between 0.045 inches and 0.060 inches  Body Width:  Between 0.145 inches and 0.175 inches  Body Height:  Between 0.010 inches and 0.040 inches  Power Dissipation Rating In Watts:  0.150 free air  End Application:  First pbl; aircraft fighter-first (f18 e/f)  Criticality Code Justification:  Agav  Product Name:  Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life:  N/a   |
| Body Length:  Between 0.045 inches and 0.060 inches  Body Width:  Between 0.145 inches and 0.175 inches  Body Height:  Between 0.010 inches and 0.040 inches  Power Dissipation Rating In Watts:  0.150 free air  End Application:  First pbl; aircraft fighter-first (f18 e/f)  Criticality Code Justification:  Agav  Product Name:  Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life:  N/a  |
| Between 0.045 inches and 0.060 inches  Body Width:  Between 0.145 inches and 0.175 inches  Body Height:  Between 0.010 inches and 0.040 inches  Power Dissipation Rating In Watts:  0.150 free air  End Application:  First pbl; aircraft fighter-first (f18 e/f)  Criticality Code Justification:  Agav  Product Name:  Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life:  N/a  |
| Body Width:  Between 0.145 inches and 0.175 inches  Body Height:  Between 0.010 inches and 0.040 inches  Power Dissipation Rating In Watts:  0.150 free air  End Application:  First pbl; aircraft fighter-first (f18 e/f)  Criticality Code Justification:  Agav  Product Name:  Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life:  N/a   |
| Between 0.145 inches and 0.175 inches  Body Height:  Between 0.010 inches and 0.040 inches  Power Dissipation Rating In Watts:  0.150 free air  End Application:  First pbl; aircraft fighter-first (f18 e/f)  Criticality Code Justification:  Agav  Product Name:  Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life:  N/a  |
| Body Height:  Between 0.010 inches and 0.040 inches  Power Dissipation Rating In Watts:  0.150 free air  End Application:  First pbl; aircraft fighter-first (f18 e/f)  Criticality Code Justification:  Agav  Product Name:  Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life:  N/a   |
| Between 0.010 inches and 0.040 inches  Power Dissipation Rating In Watts:  0.150 free air  End Application:  First pbl; aircraft fighter-first (f18 e/f)  Criticality Code Justification:  Agav  Product Name:  Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life:  N/a   |
| Power Dissipation Rating In Watts:  0.150 free air  End Application:  First pbl; aircraft fighter-first (f18 e/f)  Criticality Code Justification:  Agav  Product Name:  Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life:  N/a  |
| 0.150 free air  End Application: First pbl; aircraft fighter-first (f18 e/f)  Criticality Code Justification: Agav  Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life: N/a  |
| End Application: First pbl; aircraft fighter-first (f18 e/f) Criticality Code Justification: Agav Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a   |
| First pbl; aircraft fighter-first (f18 e/f)  Criticality Code Justification:  Agav  Product Name:  Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life:  N/a  |
| Criticality Code Justification:  Agav  Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life: N/a   |
| Agav  Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0%  Shelf Life: N/a  |
| Product Name: Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life: N/a   |
| Inavy: resistor, fixed, film; dwg: resistor, film, chip, .150 watt, +/-100ppm, +/-1.0% Shelf Life:  N/a  |
| Shelf Life:<br>N/a   |
| N/a  |
|  |
| Unit Of Measure:   |
|  |
|  |
| Demilitarization:  |
| No   |
| Fiig:  |
| A001a0   |
|  |