NSN 5905-01-482-0867

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-482-0867

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-100.0/+100.0
Electrical Resistance:
1.000 kilohms
Resistance Tolerance In Percent:
-2.000/+2.000 Ambient Tempurature In Dear Calaine At Full Reted Bowers
Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0 Ambient Tempurature In Dag Calaina At Zara Baraant Batad Bawari
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+125.0 Inclosure Method:
Encapsulated Tamping I Countities
Terminal Quantity:
14 T T
Terminal Type:
Pin
Reliability Indicator:
Not established
Terminal Length:
Between 0.250 inches and 0.350 inches
Body Length:
0.305 inches
Body Width:
Between 0.365 inches and 0.385 inches
Body Height:
0.075 inches
Power Dissipation Rating In Watts:
0.350 total network
End Application:
First pbl
Identical Value Resistor Quantity:
13 each resistor
Criticality Code Justification:
Agav
Product Name:
Inavy)resistor networks, fixed, film, and capacitor-resistor networks, ceramic capacitor and fixed film resistors
Style Designator:
Flat pack
Test Data Document

81349-mil-prf-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5905-01-482-0867

Film Fixed Resistor Network - Page 2 of 2



Specification Data:
81349-mil-prf-83401/3 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A001a0

Mil-std (military Standard):

Mil-prf-83401 spec.