NSN 5905-01-482-0947

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-482-0947

| Electrical Resistance: |
|---|
| 4.700 kilohms |
| Resistance Tolerance In Percent: |
| -2.000/+2.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 70.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 150.0 |
| Inclosure Method: |
| Uninclosed |
| Terminal Type: |
| Per body type |
| Reliability Indicator: |
| Established |
| Reliability Failure Rate Level In Percent: |
| 0.100 |
| Body Length: |
| Between 0.074 inches and 0.086 inches |
| Body Width: |
| Between 0.045 inches and 0.055 inches |
| Body Height: |
| Between 0.015 inches and 0.033 inches |
| Power Dissipation Rating In Watts: |
| 0.100 free air |
| End Application: |
| First pbl; controller assembly; circuit card assemb |
| Criticality Code Justification: |
| Agav |
| Style Designator: |
| Termination pad each end |
| Specification Data: |
| 8134955342k06b4h70p government specification |
| Specification Or Standard: |
| Mil-prf-55342/6 reference number |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |

A001a0

NSN 5905-01-482-0947

Film Fixed Resistor - Page 2 of 2



Mil-std (military Standard):

Mil-prf-55342 spec.