# NSN 5905-01-482-5066

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-482-5066

#### Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-300.0/+300.0

#### **Electrical Resistance:**

9.090 kilohms

#### **Resistance Tolerance In Percent:**

-1.000/+1.000

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 70.0

#### Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

150.0

#### Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+150.0

#### **Inclosure Method:**

Uninclosed

# Terminal Type:

Terminal type per body style

#### **Reliability Indicator:**

Established

#### **Reliability Failure Rate Level In Percent:**

0.100

#### Terminal Length:

Between 0.015 inches and 0.025 inches

#### **Body Length:**

Between 0.223 inches and 0.237 inches

#### **Body Width:**

Between 0.070 inches and 0.080 inches

#### **Body Height:**

Between 0.015 inches and 0.033 inches

#### **Power Dissipation Rating In Watts:**

0.225 free air

#### **End Application:**

lff

## Style Designator:

Termination pad each end

# Test Data Document:

81349-mil-prf-55342 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-prf-55342/5 government specification

## Shelf Life:

N/a

### Unit Of Measure:

# NSN 5905-01-482-5066

Film Fixed Resistor - Page 2 of 2

Demilitarization:

No

Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-55342 spec.

