## NSN 5905-01-485-1074

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-485-1074 **Electrical Resistance:** 6.040 ohms **Resistance Tolerance In Percent:** -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 250.0 **Inclosure Method:** Encapsulated **Terminal Type:** Wire lead **Reactance Characteristic:** Noninductive **Reliability Indicator:** Not established **Terminal Length:** 1.500 inches **Body Diameter:** Between 0.341 inches and 0.406 inches **Body Length:** Between 1.718 inches and 1.842 inches **Power Dissipation Rating In Watts:** 10.000 free air **Terminal Width:** Between 0.038 inches and 0.042 inches **End Application:** Fixture assembly test; circuit card assembly; e-nsn isil **Criticality Code Justification:** Agav **Style Designator:** Axial terminal each end **Specification Data:** 81349 - rwr78n6r04 government specification **Specification Or Standard:** Mil-prf-39007/7g reference number Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5905-01-485-1074

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-39007 spec.