## NSN 5905-01-498-1079

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-01-498-1079 **Electrical Resistance:** 3.320 ohms **Resistance Tolerance In Percent:** -1.000 to 1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 **Inclosure Method:** Encapsulated **Terminal Type:** Tab, solder lug **Reliability Indicator:** Not established **Terminal Length:** Between 0.250 inches and 0.374 inches **Body Diameter:** Between 0.376 inches and 0.500 inches **Body Length:** Between 0.688 inches and 0.812 inches **Power Dissipation Rating In Watts:** 6.000 free air **Err Default:** 0.140 inches **Style Designator:** Axial terminal each end **Test Data Document:** 81349-39009 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Specification Data:** 81349-mil-prf-39009/1 government specification Shelf Life: N/a **Unit Of Measure:** 

-- Demilitarization:

Dominitar ization

No Fiig:

·

A001a0

Mil-std (military Standard):

Mil-prf-39009 spec.