AeroBase Group

View Online at https://aerobasegroup.com/nsn/5905-01-500-1569

Inductive Wire Wound Fixed Resistor - Page 1 of 2

## **Electrical Resistance:**

1651.000 ohms

**Resistance Tolerance In Percent:** 

-1.000/+1.000

Ambient Tempurature In Deg Celsius At Full Rated Power:

25.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

#### 250.0

**Inclosure Method:** 

Encapsulated

**Terminal Type:** 

Wire lead

**Reactance Characteristic:** 

Inductive

**Reliability Indicator:** 

# Not established

**Terminal Length:** 

1.500 inches

**Body Diameter:** 

Between 0.065 inches and 0.105 inches

## **Body Length:**

Between 0.219 inches and 0.281 inches

## **Power Dissipation Rating In Watts:**

1.000 free air

#### **End Application:**

Panel, interface dev; e-nsn isil; panel, interface device pccn: p9hl20; cv-22b se; specification gse allow (hv-22b); specification gse allow

(mv-22b)

Criticality Code Justification:

Agav

## **Special Features:**

0.35 grams weight

## **Unpackaged Unit Weight:**

0.4 grams

#### Style Designator:

Axial terminal each end

#### **Specification Data:**

81349 - rwr81s1651fm government specification

#### **Specification Or Standard:**

Mil-prf-39007/9h reference number

#### Shelf Life:

N/a

#### Unit Of Measure:



Demilitarization:

No

Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-39007 spec.