

View Online at <https://aerobasegroup.com/nsn/5905-01-501-3187>

**Section Quantity:**

1

**Body Style:**

Cylindrical bushing mounted

**Reliability Indicator:**

Not established

**Mounting Bushing Length:**

Between 0.300 inches and 0.330 inches

**Body Length:**

Between 0.980 inches and 1.020 inches

**Maximum Starting Torque:**

0.60 inch-ounces

**Shaft End Play:**

0.005 inches

**Shaft Runout:**

0.002 inches

**Lateral Runout:**

0.005 inches

**Shaft Radial Play:**

0.003 inches

**Mechanical Backlash In Deg Angular Rotation:**

1.0

**Terminal Location:**

Upper adjacent side two rows

**Electrical Resistance Per Section:**

100.0 ohms c and better flooring

**Temperature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:**

-50.0/+50.0 single section

**Resistance Tolerance Per Section In Percent:**

-3.0/+3.0 single section

**Special Features:**

Split locking bushing

**Precious Material And Location:**

Terminals gold

**Terminal Type And Quantity:**

3 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A002a0