NSN 5905-01-518-1913

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-518-1913 **Electrical Resistance:** 3.920 ohms **Resistance Tolerance In Percent:** -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 250.0 **Inclosure Method:** Encapsulated **Terminal Type:** Wire lead **Reactance Characteristic:** Inductive **Reliability Indicator:** Not established **Terminal Length:** 1.500 inches **Body Diameter:** Between 0.288 inches and 0.343 inches **Body Length:** Between 0.813 inches and 0.937 inches **Power Dissipation Rating In Watts:** 5.000 free air **Terminal Width:** Between 0.038 inches and 0.042 inches **End Application:** 3ch60sx aircraft arr; component bd assembly, a; mh-60s helo designation **Criticality Code Justification:** Agav **Unpackaged Unit Weight:** 5.0 grams Style Designator: Axial terminal each end **Specification Data:** 81349 - rwr74s3r92fr government specification **Specification Or Standard:** Mil-prf-39007/6g reference number Shelf Life:

N/a

Unit Of Measure:

NSN 5905-01-518-1913

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-39007 spec.