## NSN 5905-01-518-1915

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-518-1915 **Electrical Resistance:** 0.715 ohms **Resistance Tolerance In Percent:** -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 250.0 **Inclosure Method:** Encapsulated **Terminal Type:** Wire lead **Reactance Characteristic:** Inductive **Reliability Indicator:** Not established **Body Diameter:** Between 0.281 inches and 0.343 inches **Body Length:** Between 0.813 inches and 0.937 inches **Power Dissipation Rating In Watts:** 7.000 free air **End Application:** 3ch60sx airframe arr; component bd assembly, a; mh-60s helo designation **Criticality Code Justification:** Agav **Unpackaged Unit Weight:** 5.0 grams Style Designator: Axial terminal each end **Specification Data:** 81349 - rwr84sr715fr government specification **Specification Or Standard:** Mil-prf-39007/10g reference number Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No Fiig:

A001a0

## NSN 5905-01-518-1915

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Mil-std (military Standard):

Mil-prf-39007 spec.