NSN 5905-01-523-0222

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-523-0222

view Online at https://aerobasegroup.com/nsn/5905-01-525-0222						
Electrical Resistance:						
102.000 ohms						
Resistance Tolerance In Percent:						
-1.000/+1.000						
Ambient Tempurature In Deg Celsius At Full Rated Power:						
25.0						
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:						
275.0						
Inclosure Method:						
Encased						
Terminal Type:						
Tab, solder lug						
Reactance Characteristic:						
Noninductive						
Reliability Indicator:						
Established						
Reliability Failure Rate Level In Percent:						
0.010						
Terminal Length:						
Between 0.204 inches and 0.328 inches						
Body Length:						
Between 0.538 inches and 0.662 inches						
Body Width:						
Between 0.272 inches and 0.396 inches						
Body Height:						
Between 0.289 inches and 0.351 inches						
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:						
Between 0.434 inches and 0.454 inches						
Power Dissipation Rating In Watts:						
3.000 free air						
Terminal Width:						
0.085 inches						
Mounting Hole Size:						
Between 0.088 inches and 0.098 inches						
Unpackaged Unit Weight:						
16.5 grams						
Style Designator:						
Axial terminal (s)						
Test Data Document:						
81349-mil-39009/2 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification						
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain						

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

N/a

Shelf Life:

NSN 5905-01-523-0222

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A001a0