## NSN 5905-01-527-7852

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-527-7852

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-100.0/+100.0
Electrical Resistance: 620.000 ohms
Resistance Tolerance In Percent:
-2.000/+2.000 Ambient Tempurature In Dea Coloius At Full Reted Bowers
Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+150.0
Inclosure Method:
Encapsulated  Terminal Types
Terminal Type: Wire lead
Reliability Indicator:  Established
Reliability Failure Rate Level In Percent:
0.001
Terminal Length: 1.500 inches
Body Diameter:  Retween 0.002 inches and 0.000 inches
Between 0.082 inches and 0.098 inches
Body Length:  Retween 0.204 inches and 0.294 inches
Between 0.204 inches and 0.281 inches
Power Dissipation Rating In Watts:
0.250 free air
Unpackaged Unit Weight:
0.500 grams Style Pagigneters
Style Designator:  Axial terminal each end
Test Data Document:  91240 mil r 20017 appoification (includes anginearing type bulleting, brookures, etc., that reflect appoification type data in appoification.
81349-mil-r-39017 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification formation explains and similar trade publications, reflecting general type data an acrtain
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:
81349-mil-r-39017/1 government specification
Shelf Life:
N/a
Unit Of Measure:
onit of measure.
Demilitarization:

No

## NSN 5905-01-527-7852

Film Fixed Resistor - Page 2 of 2



Fiig:

A001a0