

View Online at <https://aerobasegroup.com/nsn/5905-01-533-6144>

Temperature Coefficient Of Resistance In Ppm Per Deg Celsius:

-100.0/+100.0

Electrical Resistance:

1.800 megohms

Resistance Tolerance In Percent:

-2.000/+2.000

Temperature Range Of Temperature Coefficient In Deg Celsius:

-55.0/+150.0

Inclosure Method:

Encapsulated

Terminal Type:

Wire lead

Mil-std-1276 Wire Lead Type Designator:

C32, c41, or c52

Reliability Indicator:

Established

Reliability Failure Rate Level In Percent:

0.100

Terminal Length:

1.500 inches

Body Diameter:

0.090 inches

Body Length:

0.250 inches

Power Dissipation Rating In Watts:

0.250 free air

Terminal Width:

0.025 inches

End Application:

1430-01-448-9833, engagement control station, guided missile. W/s: missile, patriot.

Unpackaged Unit Weight:

0.5 grams

Style Designator:

Axial terminal each end

Supplementary Features:

Voltage rating: 250 volts.

Test Data Document:

81349-mil-prf-39017 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349 - mil-prf-39017/1 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-39017 spec.