Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-544-5958

Section Quantity:
1
Body Style:
Rectangular
Reliability Indicator:
Not established
Terminal Length:
Between 0.183 inches and 0.213 inches
Shaft Diameter:
Between 0.160 inches and 0.180 inches
Shaft Length:
Between 0.030 inches and 0.050 inches
Body Length:
Between 0.230 inches and 0.270 inches
Body Width:
Between 0.155 inches and 0.185 inches
Body Height:
Between 0.250 inches and 0.290 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Center To Center Distance Between Terminals:
Between 0.180 inches and 0.220 inches
End Application:
Ug3500te
Terminal Location:
Rear end
Mounting Method:
Terminal
Electrical Resistance Per Section:
2.0 kilohms single section
Center To Center Distance Between Center Terminal And Outside Terminal:
Between 0.090 inches and 0.110 inches
Power Dissipation Rating Per Section In Watts:
0.2 free air single section
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 single section
Terminal Type And Quantity:
3 pin
Shelf Life:
N/a

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A002a0