

View Online at https://aerobasegroup.com/nsn/5905-01-545-6802

## Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-90.0/+90.0

## **Electrical Resistance:**

0.133 ohms

## **Resistance Tolerance In Percent:**

-1.000/+1.000

## Ambient Tempurature In Deg Celsius At Full Rated Power:

### 25.0

## Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

275.0

## Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+275.0

## **Inclosure Method:**

Encapsulated

## **Terminal Type:**

# Wire lead

**Reactance Characteristic:** 

Inductive

Reliability Indicator:

Established

**Reliability Failure Rate Level In Percent:** 

0.010

#### **Terminal Length:**

1.500 inches

#### **Body Diameter:**

0.085 inches

### **Body Length:**

0.250 inches

**Power Dissipation Rating In Watts:** 

1.000 free air

### End Application:

Analog card a

### **Product Name:**

Inavy: resisto (1), fixed

#### Style Designator:

Axial terminal each end

### **Test Data Document:**

81349-mil-r-39007 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-r-39007/9 government specification

# Shelf Life:

N/a



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-39007 spec.