## NSN 5905-01-546-1049

Film Fixed Resistor - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5905-01-546-1049   |
|---|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:   |
| -200.0/+200.0 first temp coefficient  |
| Ambient Tempurature In Deg Celsius At Full Rated Power:   |
| 70.0  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:   |
| 155.0   |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:  |
| -55.0/+155.0  |
| Inclosure Method:   |
| Encased   |
| Terminal Type:  |
| Wrap around   |
| Reliability Indicator:  |
| Not established   |
| Body Length:  |
| Between 1.5 millimeters and 1.7 millimeters   |
| Body Width:   |
| Between 0.7 millimeters and 0.9 millimeters   |
| Body Height:  |
| Between 0.3 millimeters and 0.5 millimeters   |
| Power Dissipation Rating In Watts:  |
| 0.100 free air  |
| End Application:  |
| Nsn: 1430-01-448-9835; communication relay group, guided missile system, truck mounted; w/s: missile, patriot |
| Product Name:   |
| Thick film chip resistors   |
| Special Features:   |
| This resistor is standard size 3ge: 0603. Resistance tolerance - 0 (jumper); the overload is 400v.            |
| Style Designator:   |
| Termination pad each end  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
| <del></del>   |
| Demilitarization:   |
| No  |

Fiig:

A001a0