

View Online at <https://aerobasegroup.com/nsn/5905-01-564-9165>

**Electrical Resistance:**

56.000 ohms

**Resistance Tolerance In Percent:**

-5.000/+5.000

**Ambient Temperature In Deg Celsius At Full Rated Power:**

25.0

**Ambient Temperature In Deg Celsius At Zero Percent Rated Power:**

250.0

**Inclosure Method:**

Encapsulated

**Terminal Type:**

Wire lead

**Reactance Characteristic:**

Inductive

**Reliability Indicator:**

Not established

**Terminal Length:**

1.500 inches

**Body Diameter:**

Between 0.156 inches and 0.220 inches

**Body Length:**

Between 0.500 inches and 0.624 inches

**Power Dissipation Rating In Watts:**

3.000 free air

**Terminal Width:**

0.032 inches

**End Application:**

Mark iii helicopters (sh-60b); panel id cass otps; cca, buffer (a2); mh-60r/s cass otps: panel id pccn: p2j990

**Product Name:**

Cw type wirewound resistor, commercial coating, axial lead

**Special Features:**

High temperature silicone coating; complete welded construction

**Style Designator:**

Axial terminal each end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A001a0