## NSN 5905-01-575-6816

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-575-6816 **Section Quantity: Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established **Body Diameter:** 1.041 inches **Shaft Diameter:** 0.125 inches **Shaft Length:** 0.720 inches **Mounting Bushing Length:** 0.280 inches **Body Length:** 1.300 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Screw Thread Diameter:** 0.375 inches **Screw Thread Series Designator:** Unef Screw Thready Qty Per Inch (tpi): 32.0 **Mounting Facility Quantity: Mounting Method:** Threaded stud **Electrical Resistance Per Section:** 1.5 kilohms single section **Power Dissipation Rating Per Section In Watts:** 1.0 free air single section **Resistance Tolerance Per Section In Percent:** -5.0/+5.0 single section Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

Yes - demil/mli

## NSN 5905-01-575-6816

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Fiig:

A002a0