## NSN 5905-01-585-2791

Film Fixed Chip Resistor - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5905-01-585-2791  |
|--|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:  |
| -100.0/+100.0 first temp coefficient   |
| Electrical Resistance:   |
| 120.000 ohms each resistor   |
| Resistance Tolerance In Percent:   |
| -2.000/+2.000 each resistor  |
| Ambient Tempurature In Deg Celsius At Full Rated Power:  |
| 70.0   |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  |
| 150.0  |
| Inclosure Method:  |
| Uninclosed   |
| Terminal Type:   |
| Terminal type per body style   |
| Reliability Indicator:   |
| Not established  |
| Body Length:   |
| 3.2 millimeters  |
| Body Width:  |
| 1.6 millimeters  |
| Body Height:   |
| 0.3 millimeters  |
| Power Dissipation Rating In Watts:   |
| 0.250 free air   |
| End Application:   |
| I-cap ii peculiar aircraft (ea-6b); cca, bit, aircraft, ma (5999-01-529-7076)                                |
| Product Name:  |
| Inavy: resistor fxd film; drawing: resistor, chip, fixed film, moisture resistant, miltary level, style 1206 |
| Special Features:  |
| Must be purchased to dscc pin (part number) to assure all performance reqs and tests are met                 |
| Style Designator:  |
| Termination pad each end   |
| Supplementary Features:  |
| Has b type terminals iaw mil-prf-55342   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| No   |
| Fiig:  |

A001a0

## NSN 5905-01-585-2791

Film Fixed Chip Resistor - Page 2 of 2



Mil-std (military Standard):

Mil-prf-55342 spec.