NSN 5905-01-588-7253

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-588-7253

Section Quantity:
2
Body Style:
Rectangular w/bushing
Reliability Indicator:
Not established
Shaft Diameter:
0.250 inches
Shaft Length:
0.750 inches
Mounting Bushing Length:
0.250 inches
Body Length:
0.750 inches
Body Width:
0.500 inches
Body Height:
0.500 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
End Application:
Oj-45 (v)9/uyq-21(v) roll-up
Screw Thread Diameter:
0.250 inches
Screw Thread Series Designator:
Unef
Screw Thready Qty Per Inch (tpi):
32.0
Terminal Location:
Lower adjacent side two rows
Mounting Method:
Standard bushing
Electrical Resistance Per Section:
5.0 kilohms 1st section and 1.0 kilohms 2nd section
Power Dissipation Rating Per Section In Watts:
0.5 free air all sections
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 all sections
-10.0/+10.0 all 30010113

Product Name:

Inavy: potentiometer; cage: 388 series custom dual potentiometer

NSN 5905-01-588-7253

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Terminal Type And Quantity:
6 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A002a0